

# UNITED STATES DEPARTMENT OF COMMERCE **Patent and Trademark Office**

COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 Address:

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR			ATTORNEY DOCKET NO.		
08/765,0	46 11/15/96	TRUE I'E		1 5279.1460567			
<del>_</del>		+MS170615	- Г	EXAMINER			
	GOULD SMITH SCHMIDT	EDŁLI	' -	VANUY,	T		
	WEST CENTER			ART UNIT	PAPER NUMBER		
	SEVENDA STRE DLIS MN 55402-			1/54			
			1	DATE MAILED:	05/15/98		

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner of Patents and Trademarks** 

<b>;</b>	Application No.	Applicant(s)	۸ سے	ب ب	Λ,
Office Action Summary	08/765046	IABA	114	<u> </u>	HL.
, omoo Aodon Oanmary	Examiner VANOY			Unit	
	<del></del>		1759		
The MAILING DATE of this communication appear	ars on the cover sheet	beneath the co	orresponde	nce add	ress
Period for Response	710				
A SHORTENED STATUTORY PERIOD FOR RESPONSE IS : MAILING DATE OF THIS COMMUNICATION.	SET TO EXPIRE 1HR	EE — MONTH	H(S) FROM	THE	
<ul> <li>Extensions of time may be available under the provisions of 37 CFR from the mailing date of this communication.</li> <li>If the period for response specified above is less than thirty (30) days</li> <li>If NO period for response is specified above, such period shall, by defection of the period of the period of the period shall, by defection of the period of the period</li></ul>	s, a response within the statu afault, expire SIX (6) MONTH	tory minimum of th S from the mailing	irty (30) days date of this co	will be cor ommunica	nsidered time
Status					
XResponsive to communication(s) filed on 21 May	11998 and 3	28 Jan.	1998		·
☐ This action is FINAL.					
<ul> <li>Since this application is in condition for allowance excep accordance with the practice under Ex parte Quayle, 193</li> </ul>			the merits	is close	<b>d</b> in
Disposition of Claims					
Claim(s) 2-8, 10-12, and 15	1-18	is/are p	ending in th	ne applic	ation.
Of the above claim(s)		is/are v	vithdrawn fr		
$\times Claim(s) 6-8$ $\times Claim(s) 2-5, 10-12 and 15-$		is/are a	allowed.		
$\times$ Claim(s) 2-5, 10-12 and 15-	18	is/are r	ejected.		
□ Claim(s)		is/are o	bjected to.		
□ Claim(s)			ject to restr	iction or	election
Application Papers		require	ment.		
☐ See the attached Notice of Draftsperson's Patent Drawin	ng Review, PTO-948.				
☐ The proposed drawing correction, filed on	is approved	☐ disapproved	d.		
☐ The drawing(s) filed on is/are object	cted to by the Examiner.				
The specification is objected to by the Examiner.					
$\hfill\Box$ The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. § 119 (a)-(d)					
Acknowledgment is made of a claim for foreign priority of All Some* None of the CERTIFIED copies of received.					
☐ received in Application No. (Series Code/Serial Numb			·•		
*Certified copies not received:					
Attachment(s)	_				
Information Disclosure Statement(s), PTO-1449, Paper I	No(s) 🗆	Interview Sumn	nary, PTO-4	13	
☐ Notice of References Cited, PTO-892		Notice of Inform	nal Patent A	pplicatio	n, PTO-152
	40	Other			
☐ Notice of Draftsperson's Patent Drawing Review, PTO-9	48 U	Othor			
	⇔ Action Summary	<u></u>			

Part of Paper No. \_\_\_\_\_

Serial Number: 08-765,046

Art Unit: 1754

#### **DETAILED ACTION**

#### Specification

- o ← a) It is suggested to insert the following before the first line of the specification -- This application is a national stage filing under 35 U.S.C. 371 of PCT/JP96/00637 filed 14 March 1996.-- to set forth the related application.
- The following guidelines illustrate the preferred layout and content for patent applications. These guidelines are suggested for the applicant's use.

# Arrangement of the Specification

The following order or arrangement is preferred in framing the specification and, except for the reference to "Microfiche Appendix" and the drawings, each of the lettered items should appear in upper case, without underlining or bold type, as section headings. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) Title of the Invention.
- (b) Cross-References to Related Applications.
- (c) Statement Regarding Federally Sponsored Research or Development.
- (d) Reference to a "Microfiche Appendix" (see 37 CFR 1.96).
- (e) Background of the Invention.
  - 1. Field of the Invention.
  - 2. Description of the Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (f) Brief Summary of the Invention.
- (g) Brief Description of the Several Views of the Drawing(s).
- (h) Detailed Description of the Invention.
- (i) Claim or Claims (commencing on a separate sheet).
- (j) Abstract of the Disclosure (commencing on a separate sheet).
- (k) Drawings.
- (l) Sequence Listing (see 37 CFR 1.821-1.825).

The specification should be amended to at least include a "Brief Description of the Drawings".

Art Unit: 1754

Claim Rejections - 35 USC § 112

Claims 2, 4, 10, 11, 12 and 18 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

- Claims 2 does not particularly point out and distinctly set forth what the "primary particles" are.
- In claims 4, 10, 11, 12 and line 3 in claim 18, "type" renders the claim vague and indefinite in as much as it is not known what embraced and excluded by BEA type aluminosilicates or metallosilicates of the BEA type, etc...

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 3, 4, 15, 16 and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Japan patent document no. 5-220,403 A.

The English abstract of the Japan patent document no. 5-220,403 A discloses both a catalyst and method for removing nitrogen oxides out of an oxygen-rich exhaust gas by contacting the nitrogen oxides contaminated exhaust gas with a beta zeolite that may be loaded with cobalt, as set forth in applicants' claims 15 and 16 as well as applicants' claims 3 and 4. From the disclosure set forth on pg. 3, col. 4 paragraph no. [0027] in the text of Japan patent document no. 5-220,403 A it appears that C<sub>3</sub>H<sub>6</sub> is the hydrocarbon that acts as a reducing agent for the nitrogen

Art Unit: 1754

oxides, in a manner that fairly anticipates the use of hydrocarbons having two or larger number of carbons for reducing the NOx as set forth in applicants' claim 16 (particularly since pg. 13 lines 14-16 in the applicants' specification sets forth that the hydrocarbons used in the present invention refer to a wide variety of hydrocarbons, including olefins).

The limitations set forth in applicants' claims 15 and 16 calling for the metallosilicate to have a plurality of straight channels of oxygen 8-ring or larger in section, said plurality of straight channels being oriented in at least two different dimensional directions, individual members of said plurality of straight channels communicating with each other via micropores having a size of oxygen 8-ring or larger, the straight channels oriented in at least one of said at least two different dimensional directions having a size in section of oxygen 10-ring or larger are noted, but no material distinction is seen in as much as the catalyst that the applicants use appears to be the same cobalt containing beta zeolite described in the English abstract of the Japan patent document no. 5-220,403 A (please compare the cobalt containing beta zeolite described in Examples 1, 2 and 4 in the applicants' specification to the cobalt containing beta zeolite taught in the English abstract of the Japan patent document no. 5-220,403 A as well as note the disclosure set forth on pg. 6 lines 6-9 in the applicants' specification teaching that the applicants' most preferred form is BEA (i. e. beta) which has straight channels of oxygen 12-ring section in two different dimensional directions, the channels communicating with each other via 12-ring micropores).

Additionally, note that paragraph [0027] on pg. 3 in the Japan patent document no. 5-220,403 A discloses that the exhaust gas contains C<sub>3</sub>H<sub>6</sub> (but does not mention the presence of any

Art Unit: 1754

other hydrocarbons), thus, in the process of Japan patent document no. 5-220,403, 90 percent or more of the hydrocarbons contained in the exhaust gas are hydrocarbons having four or fewer carbons, as set forth in applicants' claim 17.

Claims 3, 15 and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by U. K. patent application 2 238 784 A to Tamura et al.

The Tamura et al. application discloses both a catalyst and a process for removing nitrogen oxides out of an exhaust gas containing excess oxygen (please see pg. 2 lines 14-17 in this Tamura et al. application) by contacting the nitrogen oxides contaminated exhaust gas with a zeolite that may be of the ferrierite type that carries cobalt (please see Table 2 on pg. 10, particularly the cobalt "Metallic element supported" and "Kind of carrier" B (the ferrierite) in this Tamura et al. application), wherein the contact between the nitrogen oxide contaminated exhaust gas and the Co/zeolite is conducted in the presence of organic compounds (such as methane, ethane, propane, etc...) which act as reducing agents for the nitrogen oxides (please see the paragraph bridging pages 4 and 5 in this Tamura et al. application), as set forth in applicants' claims 3, 15 and 16.

The limitations set forth in applicants' claims 15 and 16 calling for the metallosilicate to have a plurality of straight channels of oxygen 8-ring or larger in section, said plurality of straight channels being oriented in at least two different dimensional directions, individual members of said plurality of straight channels communicating with each other via micropores having a size of

Art Unit: 1754

oxygen 8-ring or larger, the straight channels oriented in at least one of said at least two different dimensional directions having a size in section of oxygen 10-ring or larger are noted, but no material distinction is seen in as much as the catalyst that the applicants use appears to be the same cobalt containing ferrierite zeolite described Table 2 on pg. 10 in the Tamura et al. application (please compare the cobalt containing ferrierite zeolite described in the second full paragraph on pg. 4 and the paragraph bridging pages 5 and 6 in the applicants' specification (note that "FER" refers to ferrierite) to the cobalt containing ferrierite zeolite taught in Table 2 on pg. 10 in the Tamura et al. application).

#### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 148 USPQ 459, that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or unobviousness.

Serial Number: 08-765,046

Art Unit: 1754

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103© and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

The person having "ordinary skill in the art" has the capability of understanding the scientific and engineering principles applicable to the claimed invention. The references of record in this application reasonably reflect this level of skill.

Claims 2-5, 10 and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Japan patent document no. 5-220,403 A.

The English abstract of the Japan patent document no. 5-220,403 A discloses both a catalyst and method for removing nitrogen oxides out of an oxygen-rich exhaust gas by contacting the nitrogen oxides contaminated exhaust gas with a beta zeolite that may be loaded with cobalt, as set forth in applicants' claims 15 and 16 as well as applicants' claims 3, 4 and 10. From the disclosure set forth on pg. 3, col. 4 paragraph no. [0027] in Japan patent document no. 5-220,403 A it appears that C<sub>3</sub>H<sub>6</sub> is the hydrocarbon that acts as a reducing agent for the nitrogen oxides, in a manner that fairly anticipates the use of hydrocarbons having two or larger number of carbons for reducing the NOx as set forth in applicants' claim 16 (particularly since pg. 13 lines 14-16 in

Page 8

Serial Number: 08-765,046

Art Unit: 1754

the applicants' specification sets forth that the hydrocarbons used in the present invention refer to a wide variety of hydrocarbons, including olefins).

The limitations set forth in applicants' claims 15 and 16 calling for the metallosilicate to have a plurality of straight channels of oxygen 8-ring or larger in section, said plurality of straight channels being oriented in at least two different dimensional directions, individual members of said plurality of straight channels communicating with each other via micropores having a size of oxygen 8-ring or larger, the straight channels oriented in at least one of said at least two different dimensional directions having a size in section of oxygen 10-ring or larger are noted, but no material distinction is seen in as much as the catalyst that the applicants use appears to be the same cobalt containing beta zeolite described in the English abstract of the Japan patent document no. 5-220,403 A (please compare the cobalt containing beta zeolite described in Examples 1, 2 and 4 in the applicants' specification to the cobalt containing beta zeolite taught in the English abstract of the Japan patent document no. 5-220,403 A as well as note the disclosure set forth on pg. 6 lines 6-9 in the applicants' specification teaching that the applicants' most preferred form is BEA (i. e. beta) which has straight channels of oxygen 12-ring section in two different dimensional directions, the channels communicating with each other via 12-ring micropores).

Additionally, note that paragraph [0027] on pg. 3 in the Japan patent document no. 5-220,403 A discloses that the exhaust gas contains C<sub>3</sub>H<sub>6</sub> (but does not mention the presence of any other hydrocarbons), thus, in the process of Japan patent document no. 5-220,403 A, 90 percent

Page 9

Serial Number: 08-765,046

Art Unit: 1754

or more of the hydrocarbons contained in the exhaust gas are hydrocarbons having four or fewer carbons, as set forth in applicants' claim 17.

The difference between the applicants' claims and this Japan patent document no. 5-220,403 A is that applicants' claim 2 calls for the metallosilicate to have an average diameter for the primary particles of 0.01 and 0.2 micrometers whereas Japan patent document no. 5-220,403 A does not appear to expressly describe the particle size of the primary particles, however it is submitted that this difference would have been obvious to one of ordinary skill in the art at the time the invention was made because it is expected to be within the skill level of the person having ordinary skill in the art to readily determine the size of the particles and there is no evidence of record establishing that the size of the primary particles of the applicants' catalyst and the catalyst of the Japan patent document no. 5-220,403 A do, in fact, differ.

Note that the bottom portion of paragraph [0024] in the Japan patent document no. 5-220,403 A discloses a Si/Al ratio of 20 in a manner that is not seen to distinguish from the Si/Al ratios recited in applicants' claims 5 and 10.

The difference between the applicants' claims and the Japan patent document no. 5-220,403 A is that applicants' claims 5 and 10 set forth a Co/Al ratio of 0.2 to 0.6 whereas Japan patent document no. 5-220,403 A does not appear to expressly recite what the Co (or other catalytic metals)/Al ratio is, however it is submitted that this difference would have been obvious to one of ordinary skill in the art at the time the invention was made because it is expected to be within the skill level of the person having ordinary skill in the art to readily determine the Co/Al

Serial Number: 08-765,046

Art Unit: 1754

ratio in the catalyst of Japan patent document no. 5-220,403 A and there is no evidence of record establishing that the Co/Al ratio of the applicants' catalyst and the catalyst of the Japan patent document no. 5-220,403 A do, in fact, differ.

Claims 3, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.K. patent application 2 238 784 A to Tamura et al.

The Tamura et al. application discloses both a catalyst and a process for removing nitrogen oxides out of an exhaust gas containing excess oxygen (please see pg. 2 lines 14-17 in this Tamura et al. application) by contacting the nitrogen oxides contaminated exhaust gas with a zeolite that may be of the ferrierite type that carries cobalt (please see Table 2 on pg. 10, particularly the cobalt "Metallic element supported" and "Kind of carrier" B (the ferrierite) in this Tamura et al. application), wherein the contact between the nitrogen oxide contaminated exhaust gas and the Co/zeolite is conducted in the presence of organic compounds (such as methane, ethane, propane, etc...) which act as reducing agents for the nitrogen oxides (please see the paragraph bridging pages 4 and 5 in this Tamura et al. application), as set forth in applicants' claims 3, 15 and 16.

The limitations set forth in applicants' claims 15 and 16 calling for the metallosilicate to have a plurality of straight channels of oxygen 8-ring or larger in section, said plurality of straight channels being oriented in at least two different dimensional directions, individual members of said plurality of straight channels communicating with each other via micropores having a size of

Art Unit: 1754

oxygen 8-ring or larger, the straight channels oriented in at least one of said at least two different dimensional directions having a size in section of oxygen 10-ring or larger are noted, but no material distinction is seen in as much as the catalyst that the applicants use appears to be the same cobalt containing ferrierite zeolite described Table 2 on pg. 10 in the Tamura et al. application (please compare the cobalt containing ferrierite zeolite described in the second full paragraph on pg. 4 and the paragraph bridging pages 5 and 6 in the applicants' specification (note that "FER" refers to ferrierite) to the cobalt containing ferrierite zeolite taught in Table 2 on pg. 10 in the Tamura et al. application).

The difference between the applicants' claims and this Tamura et al. application is that applicants' claims 15 and 16 call for the metallosilicate to have a plurality of straight channels of oxygen 8-ring or larger in section, said plurality of straight channels being oriented in at least two different dimensional directions, etc..., however it is submitted that this difference would have been obvious to one of ordinary skill in the art at the time the invention was made because a review of the applicants' specification on pages 4-6 and Table 2 on pg. 10 in the Tamura et al. application reveals that both the applicants' and Tamura et al. are using the same catalyst. Therefore, the descriptive limitations set forth in applicants' claims 15 and 16 are not seen to impart a material difference between the catalysts.

Claims 6, 7, 8, 11, 12 and 18 have not been rejected under either 35 U.S.C. 102 or 35 U.S.C. 103 because there is no suggestion or teaching in the references of record to modify the

Art Unit: 1754

zeolite catalysts of either Japan patent document no. 5-220,403 A or U. K. patent application no. 2 238 784 A to include either or both of the boron and titanium set forth in applicants' claims 6, 7, 8, 11, 12 and 18.

### Response to Arguments

Applicant's arguments with respect to the pending claims have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication should be directed to Timothy C. Vanoy at telephone number (703) 308-2540.

Timothy C. Vanoy/tcv

Timothy C. Vanoy

12 June 1998

Patent Examiner

Art Unit 1754